

Patient Information Leaflet

Scheduling status

Schedule 0

Proprietary name, strength and pharmaceutical form

Berberis-Homaccord Oral Drops

Read all of this leaflet carefully because it contains important information for you

Berberis-Homaccord is available without a doctor's prescription, for you to treat a mild illness. Nevertheless you still need to use Berberis-Homaccord carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share Berberis-Homaccord with any other person.
- Ask your pharmacist if you need more information or advice.
- You must see a doctor if your symptoms worsen or do not improve.

1. What Berberis-Homaccord contains

100 ml cont.:

The active substances are: Berberis vulgaris D2 0,4 ml; Berberis vulgaris D10 0,4 ml; Berberis vulgaris D30 0,4 ml; Berberis vulgaris D200 0,4 ml; Citrullus colocynthis D2 0,3 ml; Citrullus colocynthis D10 0,3 ml; Citrullus colocynthis D30 0,3 ml; Citrullus colocynthis D200 0,3 ml; Veratrum album D3 0,3 ml; Veratrum album D10 0,3 ml; Veratrum album D30 0,3 ml; Veratrum album D200 0,3 ml.

The other ingredients are: Ethanol 96%, Purified water.

Contains 35 % v/v ethyl alcohol.

2. What Berberis-Homaccord is used for

Pharmacological classification: D.33.2. Homeopathy.

Discipline of the medicine: Homeopathy.

This medicine is prepared in accordance with homeopathic principles and is proposed for use in inflammation and irritation (with or without concretions) in the region of the urogenital tract and the biliary duct.

3. Before you take Berberis-Homaccord

Do not take Berberis-Homaccord:

- if you are hypersensitive (allergic) to active substances or any of the other ingredients of Berberis-Homaccord.

Pregnancy and Breastfeeding

If you are pregnant or breastfeeding your baby while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice.

Important information about some of the ingredients of Berberis-Homaccord:

This preparation contains only very small amounts of alcohol per unit dose. Still, it is recommended that alcoholics consult with a health professional before taking this preparation.

A temporary aggravation of the existing symptoms is possible after taking a homeopathic preparation.

Taking other medicines with Berberis-Homaccord:

If you are taking other medicines on a regular basis, including complementary or traditional medicines, the use of Berberis-Homaccord with these medicines may cause undesirable interactions. Please consult your doctor, pharmacist or other healthcare professional for advice.

4. How to take Berberis-Homaccord

Do not share medicines prescribed for you with any other person.

Always take Berberis-Homaccord exactly as your doctor has instructed you. You should check with your doctor or pharmacist if you are unsure.

The usual dose is:

Adults: Take 10 drops 3 times daily. Hold in mouth 10-15 seconds before swallowing. In acute disorders, take 10 drops every 15 minutes for 8 doses.

Long-term administration of this preparation (for several months) must be supervised by a therapist.

Children and infants: Half the adult dose. The drops may be taken in a little water.

It is recommended not to eat or drink 15 minutes before or after taking the medication.

If you take more Berberis-Homaccord than you should:

Ingestion of the whole contents of this bottle by a child could result in alcohol intoxication.

Treatment is symptomatic.

In the event of over dosage, consult your doctor or pharmacist. If neither is available, seek help at the nearest hospital or poison control centre.

If you forget to take Berberis-Homaccord:

Do not take a double dose to make up for forgotten individual doses.

5. Possible side effects

Berberis-Homaccord can have side effects.

None known.

Not all side effects reported for Berberis-Homaccord are included in this leaflet. Should your general health worsen while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice.

If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

6. Storing and disposing of Berberis-Homaccord

Keep all medicines out of the reach and sight of children.

- Store in a cool (below 25°C) place
- Replace cap tightly.

7. Presentation of Berberis-Homaccord

30 ml brown dropper bottles.

8. Identification of Berberis-Homaccord

Clear to light yellow-green solution.

9. Application number

D540530 (Act 101/1965)

10. Name and business address of the holder of the certificate of registration

ModHomCo (Pty) Ltd

96 Amsterdam Street, Clubview 0157 Centurion

11. Date of publication

July 2018.

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.