

Patient information leaflet

Scheduling status
Schedule 0

Proprietary name, strength and pharmaceutical form

Lymphomyosot N Oral Drops

Read all of this leaflet carefully because it contains important information for you

Lymphomyosot® N is available without a doctor's prescription, for you to treat a mild illness. Nevertheless you still need to use Lymphomyosot® N carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share Lymphomyosot® N with any other person.
- Ask your pharmacist if you need more information or advice.
- You must see a doctor if your symptoms worsen or do not improve.

1. What Lymphomyosot® N contains

100 g contains:

The active substances are: Myosotis arvensis D3 5 g; Veronica officinalis D3 5 g; Teucrium scorodonia D3 5 g; Pinus sylvestris D4 5 g; Gentiana lutea D5 5 g; Equisetum hiemale D4 5 g; Smilax D6 5 g; Scrophularia nodosa D3 5 g; Calcium phosphoricum D12 5 g; Natrium sulfuricum D4 5 g; Fumaria officinalis D4 5 g; Levothyroxinum D12 5 g; Araneus diadematus D6 5 g; Geranium robertianum D4 10 g; Nasturtium officinale D4 10 g; Ferrum jodatum D12 10 g.

The other ingredient is: Purified water.

Contains 35% v/v ethyl alcohol.

2. What Lymphomyosot® N is used for

Pharmacological classification: D. 33.2. Homeopathy.

Discipline of the medicine: Homeopathy

This medicine is prepared in accordance with homeopathic principles and is proposed for use in lymphatism (tendency to hypertrophy of the lymphatic organs, tendency to formation of oedemas and to susceptibility to infection); glandular swelling; tonsillar hypertrophy and chronic tonsillitis.

3. Before you take Lymphomyosot® N

Do not take Lymphomyosot® N:

- if you are hypersensitive (allergic) to active substances or any of the other ingredients of Lymphomyosot® N.
- This preparation includes an iodine containing ingredient. Use only under the supervision of a doctor in cases of thyroid disorder with reduced iodine tolerance.

Pregnancy and Breastfeeding

If you are pregnant or breastfeeding your baby while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice.

Important information about some of the ingredients of Lymphomyosot® N:

This preparation contains only small amounts of alcohol per unit dosage. However, it is recommended that alcoholics consult with a health professional before taking this preparation. A temporary aggravation of the existing symptoms is possible after taking a homeopathic preparation.

Taking other medicines with Lymphomyosot® N:

If you are taking other medicines on a regular basis, including complementary or traditional medicines, the use of Lymphomyosot® N with these medicines may cause undesirable interactions. Please consult your doctor, pharmacist or other healthcare professional for advice.

4. How to take Lymphomyosot® N

Do not share medicines prescribed for you with any other person. Always take Lymphomyosot® N exactly as your doctor has instructed you. You should check with your doctor or pharmacist if you are unsure. The usual dose is: In general, 15-20 drops 3 times daily. The drops may be taken in a little water and should be held in the mouth for 10-15 seconds before swallowing. It is recommended not to eat or drink 15 minutes before or after taking the medication. Replace cap tightly after use.

If you take more Lymphomyosot® N than you should:

In the event of overdosage, consult your doctor or pharmacist. If neither is available, seek help at the nearest hospital or poison control centre.

If you forget to take Lymphomyosot® N:

Do not take a double dose to make up for forgotten individual doses.

5. Possible side effects

Lymphomyosot® N can have side effects. None known. Not all side effects reported for Lymphomyosot® N are included in this leaflet. Should your general health worsen while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice. If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

6. Storing and disposing of Lymphomyosot® N

Keep all medicines out of the reach and sight of children.

- Store in a cool (below 25 °C) place.
- Replace cap tightly.

7. Presentation of Lymphomyosot® N

30 ml brown dropper bottles.

8. Identification of Lymphomyosot® N

Clear light yellow liquid.

9. Registration number/reference number

To be allocated by the SAHPRA.

10. Name and address of registration holder

ModHomCo (Pty) Ltd
96 Amsterdam Street, Clubview, 0157 Centurion

11. Date of publication

July 2018

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.